

Breakdown of Component	Substance Name	CAS NO.	Weight (mg)	WT(%)
IC	Silica cristobalite	14464-46-1	1.68	1.20
	Chromium	7440-47-3	0.00	0.00
	Gold	7440-57-5	0.03	0.02
	Silver	7440-22-4	0.01	0.01
	Silica amorphous	7631-46-1	0.00	0.00
Lead frame	Iron	7439-89-6	3.05	2.18
	Nickel	7440-02-0	2.53	1.81
	Copper	7440-50-8	2.39	1.71
	Tin	7440-31-5	3.30	2.36
	Bismuth	7440-69-9	0.08	0.06
Holder case	Copper	7440-50-8	34.01	24.29
	Nickel	7440-02-0	9.65	6.89
	Zinc	7440-66-6	9.65	6.89
	Manganese	7439-96-5	0.01	0.01
	Nickel	7440-02-0	2.53	1.81
Plug	Silica amorphous	7631-46-1	3.05	2.18
	Iron	7439-89-6	1.53	1.09
	Nickel	7440-02-0	1.02	0.73
	Cobalt	7440-48-4	0.50	0.36
	Iron	7439-89-6	4.56	3.26
	Nickel	7440-02-0	3.05	2.18
	Copper	7440-50-8	0.50	0.36
Solder (Exemption#7(a))	Lead	7439-92-1	2.28	1.63
	Tin	7440-31-5	0.25	0.18
Resin	Silica cristobalite	60676-86-0	41.10	29.36
	Epoxy, Cresol novolac	29690-82-2	9.65	6.89
	Phenol novolac	9003-35-4	2.53	1.81
	Antimony trioxide	1309-64-4	1.02	0.73
Total			140.00	100.00